



**Cyfoeth
Naturiol**
Cymru
**Natural
Resources**
Wales

Monitoring of the Atlantic woodland bryophyte assemblage of Coed Crafnant, Meirionnydd



Des Callaghan (Bryophyte Surveys Ltd)

Evidence Report No 920

About Natural Resources Wales

Natural Resources Wales is the organisation responsible for the work carried out by the three former organisations, the Countryside Council for Wales, Environment Agency Wales, and Forestry Commission Wales. It is also responsible for some functions previously undertaken by Welsh Government.

Our purpose is to ensure that the natural resources of Wales are sustainably maintained, used and enhanced, now and in the future.

We work for the communities of Wales to protect people and their homes as much as possible from environmental incidents like flooding and pollution. We provide opportunities for people to learn, use and benefit from Wales' natural resources.

We work to support Wales' economy by enabling the sustainable use of natural resources to support jobs and enterprise. We help businesses and developers to understand and consider environmental limits when they make important decisions.

We work to maintain and improve the quality of the environment for everyone and we work towards making the environment and our natural resources more resilient to climate change and other pressures.

Evidence at Natural Resources Wales

Natural Resources Wales is an evidence-based organisation. We seek to ensure that our strategy, decisions, operations and advice to Welsh Government and others are underpinned by sound and quality-assured evidence. We recognise that it is critically important to have a good understanding of our changing environment.

We will realise this vision by:

- Maintaining and developing the technical specialist skills of our staff;
- Securing our data and information;
- Having a well-resourced proactive programme of evidence work;
- Continuing to review and add to our evidence to ensure it is fit for the challenges facing us; and
- Communicating our evidence in an open and transparent way.

This Evidence Report series serves as a record of work carried out or commissioned by Natural Resources Wales. It also helps us to share and promote use of our evidence by others and develop future collaborations. However, the views and recommendations presented in this report are not necessarily those of NRW and should, therefore, not be attributed to NRW.

Report series:	NRW Evidence Reports
Report number:	920
Publication date:	March 2025
Contractor:	Des Callaghan (Bryophyte Surveys Ltd)
Title:	Monitoring of the Atlantic woodland bryophyte assemblage of Coed Crafnant, Meirionnydd
Author(s):	Des Callaghan
Technical Editor:	Sam Bosanquet
Review level:	Tier 2
Peer Reviewer:	Dave Reed
Approved By:	Jim Latham
Series Editor(s):	
Restrictions:	None

Distribution List (electronic only)

NRW Environment Team: Meirionnydd & Dwyfor
NRW Library, Bangor
National Library of Wales
British Library
Welsh Government Library
Nature Scot Bryophyte, Lichen & Fungus Specialist
Natural England Bryophyte Specialist

Recommended citation for this report:

Callaghan, D.A. 2025. Monitoring of the Atlantic woodland bryophyte assemblage of Coed Crafnant, Meirionnydd. NRW Evidence Report No: 920, 50 pp, Natural Resources Wales.

Frontispiece: *Plagiochila spinulosa*.

Contents

1.	Crynodeb Gweithredol.....	5
2.	Executive Summary	6
3.	Background	7
4.	Methods	8
4.1.	Grid-mapping of species.....	8
4.2.	Population change	9
4.3.	Fixed-point photographic plots	9
5.	Results	9
5.1.	GPS data	9
5.2.	Grid-mapping of species.....	9
5.3.	Population change	9
5.4.	Fixed-point photographic plots	10
6.	Discussion.....	11
7.	Acknowledgements	13
8.	References.....	13
9.	Appendices	14
9.1.	Appendix 1: GPS data	14
9.2.	Appendix 2: Grid-maps of Atlantic bryophyte species.....	28
9.3.	Appendix 3: Fixed-point photographic monitoring plots	39
10.	Data Archive Appendix.....	50

1. Crynodeb Gweithredol

Mae Coed Crafnant (47.8 ha) yn warchodfa natur sy'n eiddo i Ymddiriedolaeth Natur Gogledd Cymru ac yn cael ei rheoli ganddi, ac mae'n cynnwys rhan o'r coetir hwnnw ynghyd â Choed Dolbebin sydd cydgyffwrdd â hi. Mae holl gynefin coetir cefnforol y warchodfa bron wedi'i gynnwys o fewn SoDdGA Rhinog ac ACA Coedydd Derw Meirionnydd. Cynhaliwyd yr arolwg cynhwysfawr cyntaf o fryoffytau ar y safle yn 2014, pan gasglwyd data monitro llinell sylfaen, trwy fapio gridiau o rywogaethau a thrwy sefydlu llinellau ffotograffig pwynt sefydlog. Mae'r adroddiad hwn yn rhoi canlyniadau ail-fonitro cymaradwy cyntaf y casgliad o fryoffytau coetiroedd yr lwerydd. Mae'r canlyniadau'n dangos bod y casgliad at ei gilydd wedi parhau'n sefydlog fwy neu lai rhwng 2014 a 2025, gan ddangos gostyngiad bychan iawn o -4% sy'n debygol o fewn arffiniau cyfeiliornad mesuriad. Fodd bynnag, o fewn y duedd gyffredinol hon, cafwyd tri newid nodedig. Yn gyntaf, cynyddodd amrywiaeth y rhywogaethau, yn dilyn dyfodiad tri math nodedig o lysiau'r afu gor-gefnforol: *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia* a *Harpalejeunea molleri*. Yn ail, bu cynnydd mewn tair rhywogaeth sefydledig: *Jubula hutchinsiae*, *Pseudomarsupidium decipiens* a *Sematophyllum demissum*, yn enwedig y cyntaf, a gynyddodd fwy na phedair gwaith. Yn drydydd, bu gostyngiad sylweddol o -30% mewn *Lepidozia cupressina*. Mae rhesymau posibl am y newidiadau hyn yn cael eu trafod, a gwneir cymariaethau gyda data monitro tebyg ar fryoffytau lwerydd a gasglwyd yn ddiweddar o goetir cefnforol cyfagos Coed Graig Uchaf.

2. Executive Summary

Coed Crafnant (47.8 ha) is a nature reserve owned and managed by the North Wales Wildlife Trust, comprising part of that woodland plus the contiguous Coed Dolbebin. Almost all of the oceanic woodland habitat of the reserve is contained within Rhinog SSSI and Meirionnydd Oakwoods SAC. The first comprehensive bryophyte survey of the site was undertaken in 2014, when baseline monitoring data was collected, by the grid-mapping of species and by the establishment of fixed-point photographic plots. This report provides the results of the first comparable re-monitoring of the Atlantic woodland bryophyte assemblage. Results show that between 2014 and 2025 the assemblage generally remained more-or-less stable, exhibiting a very small decline of -4% that is likely within the bounds of measurement error. However, within this general trend, three notable changes occurred. Firstly, the species diversity increased, following the arrival of three notable hyperoceanic liverworts, *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia* and *Harpalejeunea molleri*. Secondly, there was an increase in three established species, *Jubula hutchinsiae*, *Pseudomarsupidium decipiens* and *Sematophyllum demissum*, especially the former, which increased by more than four-fold. Thirdly, *Lepidozia cupressina* underwent a significant decline, of -30% . Possible reasons for these changes are discussed, and comparisons are made with similar monitoring data on Atlantic bryophytes that has been collected recently from the nearby oceanic woodland of Coed Graig Uchaf.

3. Background

Bryophytes comprise a diverse group of organisms that are sensitive indicators of the state of the environment. Desiccation tolerance varies greatly between species, and some of the most sensitive species are limited to highly oceanic climates. Atlantic (or oceanic) bryophytes are more strongly represented in the British Isles than in any other part of Europe and, due to their general rarity and phytogeographic interest, have received much attention from bryologists and conservationists. The most diverse Atlantic communities are found in sheltered lowland ravines along streams and rivers in west Scotland, north-west Wales (Eryri), north-west England (the English Lake District) and west Ireland. The best assemblages trigger the selection of Sites of Special Scientific Interest (SSSI) in Britain (Bosanquet et al. 2018) and are of principal importance for conservation under Section 7 of The Environment (Wales) Act 2016.

Coed Crafnant (47.8 ha; Figure 1) is a nature reserve owned and managed by The North Wales Wildlife Trust, which actually comprises part of that woodland plus the contiguous Coed Dolbebin. Almost all of the woodland habitat of the reserve is contained within Rhinog SSSI and Meirionnydd Oakwoods SAC. According to the bryophyte selection criteria for SSSIs in Britain (Bosanquet et al. 2018), the 'Atlantic woodland bryophyte assemblage' of the reserve scores 23 points, well above the SSSI selection threshold of 12 points. The assemblage includes 15 species: *Breutelia chrysocoma*, *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia*, *Harpalejeunea molleri*, *Jubula hutchinsiae*, *Lejeunea lamacerina*, *Lejeunea patens*, *Lepidozia cupressina*, *Plagiochila bifaria*, *Plagiochila exigua*, *Plagiochila punctata*, *Plagiochila spinulosa*, *Pseudomarsupidium decipiens*, *Scapania gracilis* and *Sematophyllum demissum*. All are extant within the site and each was recorded during the present fieldwork. By far the most notable species is *Sematophyllum demissum*, which is known from only eight sites in Britain, all oceanic woodlands in Eryri (Callaghan 2014a).

The first comprehensive bryophyte survey of the reserve was undertaken during 18–21 January 2014, when baseline monitoring data was collected (Callaghan 2014b). A further survey was undertaken in May 2022 (Callaghan 2022), which recorded areas of the reserve not covered in 2014, but did not repeat the species grid-mapping exercise of 2014 due to time constraints. The aim of this study is to repeat the grid-mapping in order to assess what changes have occurred within the Atlantic woodland bryophyte assemblage. Taxonomy follows Blockeel et al. (2021).




Figure 1 View across steep and rocky oceanic woodland in the northern end of Coed Crafnant.

4. Methods

4.1. Grid-mapping of species

In 2014, a total of 1169 OS 10 m grid cells were surveyed, covering most of the best areas of oceanic woodland within the reserve. GPS waypoints were recorded for all colonies of four notable Atlantic species, *Jubula hutchinsiae*, *Lepidozia cupressina*, *Pseudomarsupidium decipiens* and *Sematophyllum demissum*, which were subsequently loaded into GIS to produce maps of grid cells occupied by each species and a count of the number of grid cells occupied.

During the present survey, undertaken during 17–20 February 2025, all of the grid cells surveyed in 2014 were revisited and GPS waypoints were recorded for all colonies of the above four species plus a further seven species of the Atlantic woodland assemblage, including *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia*, *Harpalejeunea molleri*, *Plagiochila bifaria*, *Plagiochila exigua*, *Plagiochila punctata* and *Plagiochila spinulosa*. The former three species were absent from the surveyed grid cells in 2014, whilst the other species were present in 2014 but were not grid-mapped due to time constraints. As in 2014, the GPS waypoints were loaded into GIS to produce maps of grid cells occupied by each species and a count of the number of cells occupied.

Other species of the Atlantic bryophyte assemblage were also present within the surveyed grid cells, often widely across the site, but were not grid-mapped due to time constraints, including *Breutelia chrysocoma*, *Lejeunea lamacerina*, *L. patens* and *Scapania gracilis*.

4.2. Population change

Percentage change in the number of occupied grid cells between 2014 and 2025 was calculated for: (i) each of the four species that were present and grid-mapped in both 2014 and 2025 (*Jubula hutchinsiae*, *Lepidozia cupressina*, *Pseudomarsipidium decipiens* and *Sematophyllum demissum*); and (ii) seven species combined as an aggregate Atlantic assemblage, including these four species plus the three species that have newly colonised the sampled grid cells since 2014 (*Cololejeunea microscopica*, *Drepanolejeunea hamatifolia* and *Harpalejeunea molleri*).

4.3. Fixed-point photographic plots

Six fixed-point photographic monitoring plots that feature species of the Atlantic woodland bryophyte assemblage were established in 2014, showing habitat conditions and locations of a selection of species. These were all re-visited and re-photographed during the present survey, plus a further five plots were newly established. Locations of all colonies of target species within plots was marked, and for the most notable species the maximum length and maximum width of colonies was measured.

5. Results

5.1. GPS data

GPS data collected during the present survey are provided in Appendix 1.

5.2. Grid-mapping of species

Distribution maps of the eleven species that were grid-mapped from the Atlantic woodland bryophyte assemblage during the present survey are provided in Appendix 2.

5.3. Population change

Table 1 and Figure 2 show counts and percentage change of occupied 10 m grid cells of each species that was grid-mapped plus the aggregate Atlantic species assemblage. Whilst the data for the latter suggest the assemblage is more-or-less stable, exhibiting a very small decline of -4% that is likely within

the bounds of measurement error, there are three notable changes within the community. Firstly, the diversity of the community has increased, following the new arrival of three hyperoceanic liverworts, *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia* and *Harpalejeunea molleri*. Secondly, there have been increases in three previously established species, especially *Jubula hutchinsiae*, but also *Pseudomarsupidium decipiens* and, to a lesser extent, *Sematophyllum demissum*. Thirdly, there has been a significant decline in one species, *Lepidozia cupressina*.

5.4. Fixed-point photographic plots

Images of the fixed-point photographic monitoring plots are provided in Appendix 3. Compared to the plots monitored in 2014, target species do not generally show any major change in abundance, and habitat conditions appear to be very similar. The changes that have occurred appear to be within the bounds of natural patch dynamics, except in Plot 7, where *Jubula hutchinsiae* has increased greatly for reasons unclear, as vegetation structure and stream conditions appear to be unchanged.

Table 1 Counts of OS 10 m grid cells occupied by Atlantic bryophyte species at Coed Crafnant in 2014 and 2025. The Atlantic woodland assemblage is the sum of counts for *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia*, *Harpalejeunea molleri*, *Jubula hutchinsiae*, *Lepidozia cupressina*, *Pseudomarsupidium decipiens* and *Sematophyllum demissum*.

Species	2014 count of occupied 10m grid cells	2025 count of occupied 10m grid cells	% change
<i>Cololejeunea microscopica</i>	0	1	n/a
<i>Drepanolejeunea hamatifolia</i>	0	3	n/a
<i>Harpalejeunea molleri</i>	0	2	n/a
<i>Jubula hutchinsiae</i>	3	16	433%
<i>Lepidozia cupressina</i>	130	91	-30%
<i>Plagiochila bifaria</i>	present	81	n/a
<i>Plagiochila exigua</i>	present	3	n/a
<i>Plagiochila punctata</i>	present	92	n/a
<i>Plagiochila spinulosa</i>	Present	124	n/a
<i>Pseudomarsupidium decipiens</i>	37	49	32%
<i>Sematophyllum demissum</i>	1	3	200%
Atlantic woodland assemblage	171	165	-4%




Figure 2 Counts of OS 10 m grid cells occupied by Atlantic bryophyte species at Coed Crafnant in 2014 and 2025. Data for the ‘Atlantic woodland assemblage’ comprises a sum of the counts for *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia*, *Harpalejeunea molleri*, *Jubula hutchinsiae*, *Lepidozia cupressina*, *Pseudomarsupidium decipiens* and *Sematophyllum demissum*.

6. Discussion

The results of this study show that between 2014 and 2025 the Atlantic woodland bryophyte assemblage of Coed Crafnant has broadly remained in favourable condition, with the aggregated abundance of species more-or-less stable. However, some individual species have shown significant change, including three notable species, *Cololejeunea microscopica*, *Drepanolejeunea hamatifolia* and *Harpalejeunea molleri*, which have colonised the survey area since 2014. These tiny hyperoceanic liverworts occupy a very similar niche to each other and are often co-occur within the best oceanic woodlands of Wales. Comparable monitoring to that conducted here has been completed recently in Coed Graig Uchaf (Callaghan 2024), a high-quality oceanic woodland located just 3 km south-east of Coed Crafnant. *Cololejeunea microscopica* is absent from Coed Graig Uchaf, and the abundance of *Harpalejeunea molleri*, which is present only in tiny quantity in Coed Graig Uchaf, showed no significant change between 2014 and 2024. However, as at Coed Crafnant, *Drepanolejeunea hamatifolia* newly colonised the sampled grid cells at Coed Graig Uchaf sometime after 2014, suggesting it may be spreading generally in the local region. Indeed, there is some limited evidence from casual bryophyte recording in Britain and Ireland that it has been undergoing a recent expansion in its larger range size (Blockeel et al. 2014; Hodgetts 2024), perhaps partly in response to warmer winters.

Interestingly, the large increase in *Jubula hutchinsiae* at Coed Crafnant mirrors a large increase in this species at Coed Graig Uchaf (Callaghan 2024). In both cases, general habitat conditions do not appear to have changed significantly, with occupied streams and woodland structure having the same general appearance between monitoring periods. Whilst populations of rheophytic bryophytes can exhibit surprising stability for periods of time, they can also be subject to major change due to intense natural disturbance events caused by extreme spate flows, followed by recovery under more favourable conditions (Bosanquet 2018; Callaghan 2023; Englund 1991). It is therefore possible that the large increases detected at Coed Crafnant and Coed Graig Uchaf are simply due to natural population recovery following a natural decline. However, it is also possible that other factors are the cause, for example warmer winters due to climate change, a matter that deserves further investigation.

Another interesting result from Coed Crafnant is the significant decline in *Lepidozia cupressina*, which has occurred also at Coed Graig Uchaf (Callaghan 2024). At the latter site, there was evidence from fixed-point photographic plots that competitive exclusion by larger bryophytes was at least partly the cause. Results from fixed-point photographic plots at Coed Crafnant are mixed. At Plots 1 and 6, small declines in *L. cupressina* occurred, in Plot 1 for reasons unclear and in Plot 6 due to competitive exclusion by larger bryophytes, while at Plot 5 the abundance of the liverwort remained stable. Generally, grazing pressure appears to remain favourable in the main areas occupied by the species in Coed Crafnant, and clear reasons for the overall decline are not immediately apparent, though deserve further investigation.

Following the recent extinction of the only known colony of the nationally rare and Red Listed *Sematophyllum demissum* at Coed Crafnant due to competitive exclusion, as illustrated in Plot 8, it was encouraging to find three new and widely spaced colonies of this rare moss during the present survey work, documented in Plots 3, 10 and 11, indicating a small increase in the population, perhaps within the bounds of natural dynamics. The habitat occupied by the colony illustrated in Plot 11 is particularly interesting, as this moss is almost always associated closely with watercourses in Wales (Callaghan 2014a), but this colony occupies a diffuse seepage on a sloping cliff face, over 100 m from the nearest stream.

As with the results from comparable monitoring at Coed Graig Uchaf (Callaghan 2024), this study clearly demonstrates the value of data derived from the grid-mapping of species within sites, allowing population change to be detected and quantified. It also demonstrates the value of fixed-point photographic plots for helping to understand the causes of any change detected, and the two methods

combined provide a useful approach to better understanding the status of bryophyte populations within and between sites.

7. Acknowledgements

Thanks to Dave Cowley (NRW) for organising the contract, and to The North Wales Wildlife Trust for granting access permission.

8. References

Blockeel TL, Bell NE, Hill MO, Hodgetts NG, Long DG, Pilkington SL, Rothero GP. 2021. A new checklist of the bryophytes of Britain and Ireland, 2020. *Journal of Bryology*. 43:1–51.

Blockeel TL, Bosanquet SDS, Hill MO, Preston CD. 2014. *Atlas of British and Irish bryophytes*. Vol. 2. Newbury: Pisces Publications.

Bosanquet SDS. 2018. Bryophyte monitoring on the Afon Cwmnantcol in Coed Aberartro SSSI. NRW Evidence Report No: 268, 56 pp, Natural Resources Wales, Bangor.

Bosanquet SDS, Genney DR, Cox JHS. 2018. Guidelines for the selection of biological SSSIs. Part 2: Detailed guidelines for habitats and species groups. Chapter 12 Bryophytes. Peterborough: Joint Nature Conservation Committee.

Callaghan DA. 2014a. *Sematophyllum demissum* in Wales. *Field Bryology*. 112:5–18.

Callaghan DA. 2014b. Bryophyte survey and monitoring at Coed Crafnant, Merioneth. Unpublished report to Natural Resources Wales.

Callaghan DA. 2024. Monitoring of the Atlantic woodland bryophyte assemblage in Coed Graig Uchaf SSSI. NRW Evidence Report No: 866, 50 pp, Natural Resources Wales.

Englund G. 1991. Effects of disturbance on stream moss and invertebrate community structure. *Journal of the North American Benthological Society*. 10:143–153.

Hill MO, Preston CD. 1998. The geographical relationships of British and Irish bryophytes. *Journal of Bryology*. 20:127– 226.

Hodgetts NG. 2024. The liverwort year – 2023. *Field Bryology*. 131:80–84.

9. Appendices

9.1. Appendix 1: GPS data

Species	OS GR
<i>Breutelia chrysocoma</i>	SH6186328815
<i>Breutelia chrysocoma</i>	SH6191228757
<i>Cololejeunea microscopica</i>	SH6171428660
<i>Drepanolejeunea hamatifolia</i>	SH6172028666
<i>Drepanolejeunea hamatifolia</i>	SH6213428920
<i>Drepanolejeunea hamatifolia</i>	SH6216428926
<i>Drepanolejeunea hamatifolia</i>	SH6216628927
<i>Harpalejeunea molleri</i>	SH6171728662
<i>Harpalejeunea molleri</i>	SH6172228669
<i>Harpanthus scutatus</i>	SH6193728556
<i>Harpanthus scutatus</i>	SH6197428752
<i>Harpanthus scutatus</i>	SH6198028743
<i>Harpanthus scutatus</i>	SH6198028824
<i>Harpanthus scutatus</i>	SH6198728770
<i>Harpanthus scutatus</i>	SH6202028704
<i>Harpanthus scutatus</i>	SH6203628729
<i>Harpanthus scutatus</i>	SH6204028734
<i>Harpanthus scutatus</i>	SH6204428739
<i>Harpanthus scutatus</i>	SH6204828776
<i>Harpanthus scutatus</i>	SH6205428781
<i>Harpanthus scutatus</i>	SH6205528758
<i>Harpanthus scutatus</i>	SH6205528758
<i>Jubula hutchinsiae</i>	SH6161628505
<i>Jubula hutchinsiae</i>	SH6164128494
<i>Jubula hutchinsiae</i>	SH6164128495
<i>Jubula hutchinsiae</i>	SH6165528490
<i>Jubula hutchinsiae</i>	SH6165628486
<i>Jubula hutchinsiae</i>	SH6173128449
<i>Jubula hutchinsiae</i>	SH6173228446
<i>Jubula hutchinsiae</i>	SH6174428438
<i>Jubula hutchinsiae</i>	SH6174428439
<i>Jubula hutchinsiae</i>	SH6174428448
<i>Jubula hutchinsiae</i>	SH6174528435
<i>Jubula hutchinsiae</i>	SH6174628444
<i>Jubula hutchinsiae</i>	SH6174828434
<i>Jubula hutchinsiae</i>	SH6175028433
<i>Jubula hutchinsiae</i>	SH6175228430
<i>Jubula hutchinsiae</i>	SH6175328429
<i>Jubula hutchinsiae</i>	SH6175628419
<i>Jubula hutchinsiae</i>	SH6175828409
<i>Jubula hutchinsiae</i>	SH6178428360
<i>Jubula hutchinsiae</i>	SH6178528359
<i>Jubula hutchinsiae</i>	SH6178928346
<i>Jubula hutchinsiae</i>	SH6179828340
<i>Jubula hutchinsiae</i>	SH6180328328

Species	OS GR
<i>Jubula hutchinsiae</i>	SH6180328332
<i>Jubula hutchinsiae</i>	SH6180428327
<i>Jubula hutchinsiae</i>	SH6181128315
<i>Jubula hutchinsiae</i>	SH6181128317
<i>Jubula hutchinsiae</i>	SH6181628310
<i>Jubula hutchinsiae</i>	SH6181728309
<i>Lejeunea patens</i>	SH6187728734
<i>Lejeunea patens</i>	SH6193728773
<i>Lepidozia cupressina</i>	SH6150228171
<i>Lepidozia cupressina</i>	SH6164728245
<i>Lepidozia cupressina</i>	SH6165628243
<i>Lepidozia cupressina</i>	SH6165728242
<i>Lepidozia cupressina</i>	SH6165928242
<i>Lepidozia cupressina</i>	SH6166728254
<i>Lepidozia cupressina</i>	SH6169828623
<i>Lepidozia cupressina</i>	SH6170028595
<i>Lepidozia cupressina</i>	SH6170328611
<i>Lepidozia cupressina</i>	SH6170728580
<i>Lepidozia cupressina</i>	SH6170828556
<i>Lepidozia cupressina</i>	SH6170828583
<i>Lepidozia cupressina</i>	SH6171128587
<i>Lepidozia cupressina</i>	SH6171228597
<i>Lepidozia cupressina</i>	SH6171328586
<i>Lepidozia cupressina</i>	SH6171628613
<i>Lepidozia cupressina</i>	SH6171728615
<i>Lepidozia cupressina</i>	SH6171828573
<i>Lepidozia cupressina</i>	SH6171928557
<i>Lepidozia cupressina</i>	SH6171928578
<i>Lepidozia cupressina</i>	SH6171928600
<i>Lepidozia cupressina</i>	SH6172028580
<i>Lepidozia cupressina</i>	SH6172028581
<i>Lepidozia cupressina</i>	SH6172028596
<i>Lepidozia cupressina</i>	SH6172228584
<i>Lepidozia cupressina</i>	SH6172328587
<i>Lepidozia cupressina</i>	SH6172528598
<i>Lepidozia cupressina</i>	SH6172628589
<i>Lepidozia cupressina</i>	SH6172828594
<i>Lepidozia cupressina</i>	SH6172828604
<i>Lepidozia cupressina</i>	SH6173028602
<i>Lepidozia cupressina</i>	SH6173628478
<i>Lepidozia cupressina</i>	SH6173628500
<i>Lepidozia cupressina</i>	SH6173728464
<i>Lepidozia cupressina</i>	SH6173928500
<i>Lepidozia cupressina</i>	SH6174328457
<i>Lepidozia cupressina</i>	SH6174328495
<i>Lepidozia cupressina</i>	SH6174428454
<i>Lepidozia cupressina</i>	SH6174428483
<i>Lepidozia cupressina</i>	SH6175028441
<i>Lepidozia cupressina</i>	SH6176128442
<i>Lepidozia cupressina</i>	SH6176728441

Species	OS GR
<i>Lepidozia cupressina</i>	SH6177028442
<i>Lepidozia cupressina</i>	SH6177628396
<i>Lepidozia cupressina</i>	SH6178028439
<i>Lepidozia cupressina</i>	SH6178328432
<i>Lepidozia cupressina</i>	SH6178528425
<i>Lepidozia cupressina</i>	SH6180728435
<i>Lepidozia cupressina</i>	SH6181628424
<i>Lepidozia cupressina</i>	SH6186428544
<i>Lepidozia cupressina</i>	SH6187128769
<i>Lepidozia cupressina</i>	SH6187228767
<i>Lepidozia cupressina</i>	SH6187228777
<i>Lepidozia cupressina</i>	SH6187528833
<i>Lepidozia cupressina</i>	SH6187728756
<i>Lepidozia cupressina</i>	SH6188028730
<i>Lepidozia cupressina</i>	SH6188328725
<i>Lepidozia cupressina</i>	SH6188528832
<i>Lepidozia cupressina</i>	SH6188628719
<i>Lepidozia cupressina</i>	SH6189328705
<i>Lepidozia cupressina</i>	SH6189428662
<i>Lepidozia cupressina</i>	SH6189428673
<i>Lepidozia cupressina</i>	SH6190028811
<i>Lepidozia cupressina</i>	SH6190328840
<i>Lepidozia cupressina</i>	SH6190428733
<i>Lepidozia cupressina</i>	SH6190428804
<i>Lepidozia cupressina</i>	SH6190628840
<i>Lepidozia cupressina</i>	SH6190728818
<i>Lepidozia cupressina</i>	SH6190828841
<i>Lepidozia cupressina</i>	SH6191528838
<i>Lepidozia cupressina</i>	SH6192228820
<i>Lepidozia cupressina</i>	SH6192328823
<i>Lepidozia cupressina</i>	SH6192928801
<i>Lepidozia cupressina</i>	SH6193428791
<i>Lepidozia cupressina</i>	SH6193828762
<i>Lepidozia cupressina</i>	SH6194028766
<i>Lepidozia cupressina</i>	SH6194028776
<i>Lepidozia cupressina</i>	SH6194328767
<i>Lepidozia cupressina</i>	SH6194528639
<i>Lepidozia cupressina</i>	SH6194828669
<i>Lepidozia cupressina</i>	SH6194828813
<i>Lepidozia cupressina</i>	SH6195328768
<i>Lepidozia cupressina</i>	SH6195328771
<i>Lepidozia cupressina</i>	SH6195328783
<i>Lepidozia cupressina</i>	SH6195428766
<i>Lepidozia cupressina</i>	SH6195628753
<i>Lepidozia cupressina</i>	SH6195828768
<i>Lepidozia cupressina</i>	SH6196528781
<i>Lepidozia cupressina</i>	SH6197128795
<i>Lepidozia cupressina</i>	SH6197228782
<i>Lepidozia cupressina</i>	SH6197328721
<i>Lepidozia cupressina</i>	SH6197328817

Species	OS GR
<i>Lepidozia cupressina</i>	SH6197528717
<i>Lepidozia cupressina</i>	SH6197528750
<i>Lepidozia cupressina</i>	SH6197928716
<i>Lepidozia cupressina</i>	SH6198028822
<i>Lepidozia cupressina</i>	SH6198028844
<i>Lepidozia cupressina</i>	SH6198128741
<i>Lepidozia cupressina</i>	SH6198128743
<i>Lepidozia cupressina</i>	SH6199228793
<i>Lepidozia cupressina</i>	SH6199228835
<i>Lepidozia cupressina</i>	SH6199428792
<i>Lepidozia cupressina</i>	SH6199428837
<i>Lepidozia cupressina</i>	SH6199428856
<i>Lepidozia cupressina</i>	SH6199628797
<i>Lepidozia cupressina</i>	SH6199828828
<i>Lepidozia cupressina</i>	SH6199928720
<i>Lepidozia cupressina</i>	SH6199928729
<i>Lepidozia cupressina</i>	SH6200028714
<i>Lepidozia cupressina</i>	SH6200028814
<i>Lepidozia cupressina</i>	SH6200028822
<i>Lepidozia cupressina</i>	SH6200128817
<i>Lepidozia cupressina</i>	SH6200228811
<i>Lepidozia cupressina</i>	SH6200428696
<i>Lepidozia cupressina</i>	SH6200528713
<i>Lepidozia cupressina</i>	SH6201428820
<i>Lepidozia cupressina</i>	SH6201428821
<i>Lepidozia cupressina</i>	SH6201428822
<i>Lepidozia cupressina</i>	SH6202028706
<i>Lepidozia cupressina</i>	SH6204428767
<i>Lepidozia cupressina</i>	SH6204728775
<i>Lepidozia cupressina</i>	SH6204828777
<i>Lepidozia cupressina</i>	SH6205028766
<i>Lepidozia cupressina</i>	SH6205028768
<i>Lepidozia cupressina</i>	SH6205228760
<i>Lepidozia cupressina</i>	SH6205228821
<i>Lepidozia cupressina</i>	SH6205828825
<i>Lepidozia cupressina</i>	SH6207928833
<i>Lepidozia cupressina</i>	SH6208128835
<i>Lepidozia cupressina</i>	SH6211428918
<i>Lepidozia cupressina</i>	SH6211628911
<i>Lepidozia cupressina</i>	SH6211828886
<i>Lepidozia cupressina</i>	SH6213228896
<i>Lepidozia cupressina</i>	SH6215728911
<i>Lepidozia cupressina</i>	SH6215728911
<i>Lepidozia cupressina</i>	SH6215828913
<i>Lepidozia cupressina</i>	SH6216028902
<i>Lepidozia cupressina</i>	SH6216128922
<i>Lepidozia cupressina</i>	SH6216628923
<i>Neckera crispa</i>	SH6194328463
<i>Odontoschisma sphagni</i>	SH6173828658
<i>Plagiochila bifaria</i>	SH6113227796

Species	OS GR
<i>Plagiochila bifaria</i>	SH6114727765
<i>Plagiochila bifaria</i>	SH6133028042
<i>Plagiochila bifaria</i>	SH6147028320
<i>Plagiochila bifaria</i>	SH6150228172
<i>Plagiochila bifaria</i>	SH6150728398
<i>Plagiochila bifaria</i>	SH6151228432
<i>Plagiochila bifaria</i>	SH6153228454
<i>Plagiochila bifaria</i>	SH6154428460
<i>Plagiochila bifaria</i>	SH6166728254
<i>Plagiochila bifaria</i>	SH6167328257
<i>Plagiochila bifaria</i>	SH6167828272
<i>Plagiochila bifaria</i>	SH6168828247
<i>Plagiochila bifaria</i>	SH6170028603
<i>Plagiochila bifaria</i>	SH6170128607
<i>Plagiochila bifaria</i>	SH6170228591
<i>Plagiochila bifaria</i>	SH6170328610
<i>Plagiochila bifaria</i>	SH6170728555
<i>Plagiochila bifaria</i>	SH6170828578
<i>Plagiochila bifaria</i>	SH6172528667
<i>Plagiochila bifaria</i>	SH6173328439
<i>Plagiochila bifaria</i>	SH6173328511
<i>Plagiochila bifaria</i>	SH6173328517
<i>Plagiochila bifaria</i>	SH6173928490
<i>Plagiochila bifaria</i>	SH6174528451
<i>Plagiochila bifaria</i>	SH6174528490
<i>Plagiochila bifaria</i>	SH6175028443
<i>Plagiochila bifaria</i>	SH6175028446
<i>Plagiochila bifaria</i>	SH6175728439
<i>Plagiochila bifaria</i>	SH6175828448
<i>Plagiochila bifaria</i>	SH6176028446
<i>Plagiochila bifaria</i>	SH6176728422
<i>Plagiochila bifaria</i>	SH6176728451
<i>Plagiochila bifaria</i>	SH6176828319
<i>Plagiochila bifaria</i>	SH6176928407
<i>Plagiochila bifaria</i>	SH6178128394
<i>Plagiochila bifaria</i>	SH6178528384
<i>Plagiochila bifaria</i>	SH6178528678
<i>Plagiochila bifaria</i>	SH6180528798
<i>Plagiochila bifaria</i>	SH6180728790
<i>Plagiochila bifaria</i>	SH6185528602
<i>Plagiochila bifaria</i>	SH6185928612
<i>Plagiochila bifaria</i>	SH6187328731
<i>Plagiochila bifaria</i>	SH6187428579
<i>Plagiochila bifaria</i>	SH6187428732
<i>Plagiochila bifaria</i>	SH6187628736
<i>Plagiochila bifaria</i>	SH6187628781
<i>Plagiochila bifaria</i>	SH6188328826
<i>Plagiochila bifaria</i>	SH6188328837
<i>Plagiochila bifaria</i>	SH6188528825
<i>Plagiochila bifaria</i>	SH6188528832

Species	OS GR
<i>Plagiochila bifaria</i>	SH6188928704
<i>Plagiochila bifaria</i>	SH6189128688
<i>Plagiochila bifaria</i>	SH6189628588
<i>Plagiochila bifaria</i>	SH6190128717
<i>Plagiochila bifaria</i>	SH6190228605
<i>Plagiochila bifaria</i>	SH6190428728
<i>Plagiochila bifaria</i>	SH6190428841
<i>Plagiochila bifaria</i>	SH6190528682
<i>Plagiochila bifaria</i>	SH6190728818
<i>Plagiochila bifaria</i>	SH6190928685
<i>Plagiochila bifaria</i>	SH6192628519
<i>Plagiochila bifaria</i>	SH6193028801
<i>Plagiochila bifaria</i>	SH6193228743
<i>Plagiochila bifaria</i>	SH6193828758
<i>Plagiochila bifaria</i>	SH6194128649
<i>Plagiochila bifaria</i>	SH6194228774
<i>Plagiochila bifaria</i>	SH6194828644
<i>Plagiochila bifaria</i>	SH6195128520
<i>Plagiochila bifaria</i>	SH6196128534
<i>Plagiochila bifaria</i>	SH6196128640
<i>Plagiochila bifaria</i>	SH6197128792
<i>Plagiochila bifaria</i>	SH6197128854
<i>Plagiochila bifaria</i>	SH6197428815
<i>Plagiochila bifaria</i>	SH6197828763
<i>Plagiochila bifaria</i>	SH6197928689
<i>Plagiochila bifaria</i>	SH6198228834
<i>Plagiochila bifaria</i>	SH6198928845
<i>Plagiochila bifaria</i>	SH6199128663
<i>Plagiochila bifaria</i>	SH6199728580
<i>Plagiochila bifaria</i>	SH6199928630
<i>Plagiochila bifaria</i>	SH6200028710
<i>Plagiochila bifaria</i>	SH6200028725
<i>Plagiochila bifaria</i>	SH6200028729
<i>Plagiochila bifaria</i>	SH6200128618
<i>Plagiochila bifaria</i>	SH6200128823
<i>Plagiochila bifaria</i>	SH6201028834
<i>Plagiochila bifaria</i>	SH6201428825
<i>Plagiochila bifaria</i>	SH6202228709
<i>Plagiochila bifaria</i>	SH6205028768
<i>Plagiochila bifaria</i>	SH6205628759
<i>Plagiochila bifaria</i>	SH6206828823
<i>Plagiochila bifaria</i>	SH6207128827
<i>Plagiochila bifaria</i>	SH6210228846
<i>Plagiochila bifaria</i>	SH6211028852
<i>Plagiochila bifaria</i>	SH6213328899
<i>Plagiochila bifaria</i>	SH6214828906
<i>Plagiochila bifaria</i>	SH6215028924
<i>Plagiochila bifaria</i>	SH6217728891
<i>Plagiochila exigua</i>	SH6195728783
<i>Plagiochila exigua</i>	SH6195828836

Species	OS GR
<i>Plagiochila exigua</i>	SH6195928772
<i>Plagiochila punctata</i>	SH6153328453
<i>Plagiochila punctata</i>	SH6167528257
<i>Plagiochila punctata</i>	SH6167528268
<i>Plagiochila punctata</i>	SH6168028234
<i>Plagiochila punctata</i>	SH6168928249
<i>Plagiochila punctata</i>	SH6170928264
<i>Plagiochila punctata</i>	SH6171428637
<i>Plagiochila punctata</i>	SH6171528649
<i>Plagiochila punctata</i>	SH6171728662
<i>Plagiochila punctata</i>	SH6172928645
<i>Plagiochila punctata</i>	SH6173328501
<i>Plagiochila punctata</i>	SH6173928500
<i>Plagiochila punctata</i>	SH6174128485
<i>Plagiochila punctata</i>	SH6174228454
<i>Plagiochila punctata</i>	SH6174528491
<i>Plagiochila punctata</i>	SH6174628453
<i>Plagiochila punctata</i>	SH6174828460
<i>Plagiochila punctata</i>	SH6175028441
<i>Plagiochila punctata</i>	SH6175328439
<i>Plagiochila punctata</i>	SH6175628439
<i>Plagiochila punctata</i>	SH6176728423
<i>Plagiochila punctata</i>	SH6177528418
<i>Plagiochila punctata</i>	SH6177928427
<i>Plagiochila punctata</i>	SH6178328432
<i>Plagiochila punctata</i>	SH6178428375
<i>Plagiochila punctata</i>	SH6178528440
<i>Plagiochila punctata</i>	SH6179128387
<i>Plagiochila punctata</i>	SH6185328596
<i>Plagiochila punctata</i>	SH6185828608
<i>Plagiochila punctata</i>	SH6185928611
<i>Plagiochila punctata</i>	SH6187628800
<i>Plagiochila punctata</i>	SH6187828731
<i>Plagiochila punctata</i>	SH6188428805
<i>Plagiochila punctata</i>	SH6188628816
<i>Plagiochila punctata</i>	SH6188728568
<i>Plagiochila punctata</i>	SH6188728818
<i>Plagiochila punctata</i>	SH6189328670
<i>Plagiochila punctata</i>	SH6189528709
<i>Plagiochila punctata</i>	SH6189628707
<i>Plagiochila punctata</i>	SH6189828650
<i>Plagiochila punctata</i>	SH6190228718
<i>Plagiochila punctata</i>	SH6190328718
<i>Plagiochila punctata</i>	SH6190428815
<i>Plagiochila punctata</i>	SH6190528682
<i>Plagiochila punctata</i>	SH6192228822
<i>Plagiochila punctata</i>	SH6192328823
<i>Plagiochila punctata</i>	SH6193028829
<i>Plagiochila punctata</i>	SH6193628759
<i>Plagiochila punctata</i>	SH6193928775

Species	OS GR
<i>Plagiochila punctata</i>	SH6193928781
<i>Plagiochila punctata</i>	SH6194128644
<i>Plagiochila punctata</i>	SH6194228769
<i>Plagiochila punctata</i>	SH6194528639
<i>Plagiochila punctata</i>	SH6194828669
<i>Plagiochila punctata</i>	SH6194828813
<i>Plagiochila punctata</i>	SH6195028518
<i>Plagiochila punctata</i>	SH6195028811
<i>Plagiochila punctata</i>	SH6195228817
<i>Plagiochila punctata</i>	SH6195328522
<i>Plagiochila punctata</i>	SH6195328745
<i>Plagiochila punctata</i>	SH6195428747
<i>Plagiochila punctata</i>	SH6195428766
<i>Plagiochila punctata</i>	SH6195628755
<i>Plagiochila punctata</i>	SH6195728752
<i>Plagiochila punctata</i>	SH6195728766
<i>Plagiochila punctata</i>	SH6195928836
<i>Plagiochila punctata</i>	SH6195928842
<i>Plagiochila punctata</i>	SH6196028675
<i>Plagiochila punctata</i>	SH6196128769
<i>Plagiochila punctata</i>	SH6196228810
<i>Plagiochila punctata</i>	SH6196328616
<i>Plagiochila punctata</i>	SH6196628813
<i>Plagiochila punctata</i>	SH6197028773
<i>Plagiochila punctata</i>	SH6197328751
<i>Plagiochila punctata</i>	SH6197328821
<i>Plagiochila punctata</i>	SH6197328854
<i>Plagiochila punctata</i>	SH6197428716
<i>Plagiochila punctata</i>	SH6197428793
<i>Plagiochila punctata</i>	SH6197428814
<i>Plagiochila punctata</i>	SH6197528712
<i>Plagiochila punctata</i>	SH6197528750
<i>Plagiochila punctata</i>	SH6197528789
<i>Plagiochila punctata</i>	SH6197528791
<i>Plagiochila punctata</i>	SH6197528822
<i>Plagiochila punctata</i>	SH6197528852
<i>Plagiochila punctata</i>	SH6197628786
<i>Plagiochila punctata</i>	SH6197728766
<i>Plagiochila punctata</i>	SH6197828759
<i>Plagiochila punctata</i>	SH6197928819
<i>Plagiochila punctata</i>	SH6197928826
<i>Plagiochila punctata</i>	SH6198028788
<i>Plagiochila punctata</i>	SH6198028821
<i>Plagiochila punctata</i>	SH6198128701
<i>Plagiochila punctata</i>	SH6198328847
<i>Plagiochila punctata</i>	SH6198428835
<i>Plagiochila punctata</i>	SH6199128663
<i>Plagiochila punctata</i>	SH6199328783
<i>Plagiochila punctata</i>	SH6199328822
<i>Plagiochila punctata</i>	SH6199328824

Species	OS GR
<i>Plagiochila punctata</i>	SH6199628793
<i>Plagiochila punctata</i>	SH6199728798
<i>Plagiochila punctata</i>	SH6199928714
<i>Plagiochila punctata</i>	SH6199928729
<i>Plagiochila punctata</i>	SH6200028708
<i>Plagiochila punctata</i>	SH6200028710
<i>Plagiochila punctata</i>	SH6200228712
<i>Plagiochila punctata</i>	SH6200228717
<i>Plagiochila punctata</i>	SH6200328832
<i>Plagiochila punctata</i>	SH6200828805
<i>Plagiochila punctata</i>	SH6204628741
<i>Plagiochila punctata</i>	SH6205028777
<i>Plagiochila punctata</i>	SH6205528759
<i>Plagiochila punctata</i>	SH6205728827
<i>Plagiochila punctata</i>	SH6206028792
<i>Plagiochila punctata</i>	SH6211528915
<i>Plagiochila punctata</i>	SH6211728884
<i>Plagiochila punctata</i>	SH6212328872
<i>Plagiochila punctata</i>	SH6213228896
<i>Plagiochila punctata</i>	SH6213528898
<i>Plagiochila punctata</i>	SH6213528921
<i>Plagiochila punctata</i>	SH6213628896
<i>Plagiochila punctata</i>	SH6215328912
<i>Plagiochila punctata</i>	SH6215328917
<i>Plagiochila punctata</i>	SH6215628920
<i>Plagiochila punctata</i>	SH6215728911
<i>Plagiochila punctata</i>	SH6215728911
<i>Plagiochila punctata</i>	SH6215828893
<i>Plagiochila punctata</i>	SH6215828921
<i>Plagiochila punctata</i>	SH6216228904
<i>Plagiochila punctata</i>	SH6216328923
<i>Plagiochila punctata</i>	SH6216728923
<i>Plagiochila punctata</i>	SH6217628911
<i>Plagiochila punctata</i>	SH6220928931
<i>Plagiochila spinulosa</i>	SH6112227757
<i>Plagiochila spinulosa</i>	SH6113927739
<i>Plagiochila spinulosa</i>	SH6116927852
<i>Plagiochila spinulosa</i>	SH6119827866
<i>Plagiochila spinulosa</i>	SH6119927797
<i>Plagiochila spinulosa</i>	SH6120627803
<i>Plagiochila spinulosa</i>	SH6122827987
<i>Plagiochila spinulosa</i>	SH6126028061
<i>Plagiochila spinulosa</i>	SH6135128167
<i>Plagiochila spinulosa</i>	SH6137828203
<i>Plagiochila spinulosa</i>	SH6142228266
<i>Plagiochila spinulosa</i>	SH6143128274
<i>Plagiochila spinulosa</i>	SH6143828291
<i>Plagiochila spinulosa</i>	SH6149628390
<i>Plagiochila spinulosa</i>	SH6150228172
<i>Plagiochila spinulosa</i>	SH6150528177

Species	OS GR
<i>Plagiochila spinulosa</i>	SH6151928195
<i>Plagiochila spinulosa</i>	SH6151928445
<i>Plagiochila spinulosa</i>	SH6154428422
<i>Plagiochila spinulosa</i>	SH6160328439
<i>Plagiochila spinulosa</i>	SH6161928227
<i>Plagiochila spinulosa</i>	SH6163428235
<i>Plagiochila spinulosa</i>	SH6165228482
<i>Plagiochila spinulosa</i>	SH6168528245
<i>Plagiochila spinulosa</i>	SH6169728618
<i>Plagiochila spinulosa</i>	SH6169728621
<i>Plagiochila spinulosa</i>	SH6170028603
<i>Plagiochila spinulosa</i>	SH6170228626
<i>Plagiochila spinulosa</i>	SH6170828563
<i>Plagiochila spinulosa</i>	SH6171228272
<i>Plagiochila spinulosa</i>	SH6173228512
<i>Plagiochila spinulosa</i>	SH6173328273
<i>Plagiochila spinulosa</i>	SH6173328446
<i>Plagiochila spinulosa</i>	SH6173528274
<i>Plagiochila spinulosa</i>	SH6173528480
<i>Plagiochila spinulosa</i>	SH6173628441
<i>Plagiochila spinulosa</i>	SH6173828458
<i>Plagiochila spinulosa</i>	SH6174528478
<i>Plagiochila spinulosa</i>	SH6174628441
<i>Plagiochila spinulosa</i>	SH6174628443
<i>Plagiochila spinulosa</i>	SH6174928415
<i>Plagiochila spinulosa</i>	SH6174928434
<i>Plagiochila spinulosa</i>	SH6175028439
<i>Plagiochila spinulosa</i>	SH6175328429
<i>Plagiochila spinulosa</i>	SH6175828425
<i>Plagiochila spinulosa</i>	SH6176228406
<i>Plagiochila spinulosa</i>	SH6176228729
<i>Plagiochila spinulosa</i>	SH6176528404
<i>Plagiochila spinulosa</i>	SH6176528733
<i>Plagiochila spinulosa</i>	SH6176828402
<i>Plagiochila spinulosa</i>	SH6176828405
<i>Plagiochila spinulosa</i>	SH6176828729
<i>Plagiochila spinulosa</i>	SH6177628396
<i>Plagiochila spinulosa</i>	SH6177628733
<i>Plagiochila spinulosa</i>	SH6177828386
<i>Plagiochila spinulosa</i>	SH6177828440
<i>Plagiochila spinulosa</i>	SH6177928346
<i>Plagiochila spinulosa</i>	SH6178228732
<i>Plagiochila spinulosa</i>	SH6178528364
<i>Plagiochila spinulosa</i>	SH6178928387
<i>Plagiochila spinulosa</i>	SH6180128334
<i>Plagiochila spinulosa</i>	SH6180628806
<i>Plagiochila spinulosa</i>	SH6180728790
<i>Plagiochila spinulosa</i>	SH6180828444
<i>Plagiochila spinulosa</i>	SH6181228445
<i>Plagiochila spinulosa</i>	SH6181328811

Species	OS GR
<i>Plagiochila spinulosa</i>	SH6181728784
<i>Plagiochila spinulosa</i>	SH6181828436
<i>Plagiochila spinulosa</i>	SH6181828821
<i>Plagiochila spinulosa</i>	SH6182728462
<i>Plagiochila spinulosa</i>	SH6182928809
<i>Plagiochila spinulosa</i>	SH6183328474
<i>Plagiochila spinulosa</i>	SH6185728603
<i>Plagiochila spinulosa</i>	SH6185928615
<i>Plagiochila spinulosa</i>	SH6186228521
<i>Plagiochila spinulosa</i>	SH6186528830
<i>Plagiochila spinulosa</i>	SH6186728830
<i>Plagiochila spinulosa</i>	SH6187028828
<i>Plagiochila spinulosa</i>	SH6187328730
<i>Plagiochila spinulosa</i>	SH6187428579
<i>Plagiochila spinulosa</i>	SH6187428734
<i>Plagiochila spinulosa</i>	SH6187428777
<i>Plagiochila spinulosa</i>	SH6187628737
<i>Plagiochila spinulosa</i>	SH6187628780
<i>Plagiochila spinulosa</i>	SH6187728781
<i>Plagiochila spinulosa</i>	SH6187828583
<i>Plagiochila spinulosa</i>	SH6188328801
<i>Plagiochila spinulosa</i>	SH6188328804
<i>Plagiochila spinulosa</i>	SH6188528716
<i>Plagiochila spinulosa</i>	SH6188528825
<i>Plagiochila spinulosa</i>	SH6188528832
<i>Plagiochila spinulosa</i>	SH6188728809
<i>Plagiochila spinulosa</i>	SH6188828700
<i>Plagiochila spinulosa</i>	SH6188928817
<i>Plagiochila spinulosa</i>	SH6189528759
<i>Plagiochila spinulosa</i>	SH6190128805
<i>Plagiochila spinulosa</i>	SH6190128811
<i>Plagiochila spinulosa</i>	SH6190228840
<i>Plagiochila spinulosa</i>	SH6190328718
<i>Plagiochila spinulosa</i>	SH6190828728
<i>Plagiochila spinulosa</i>	SH6190928685
<i>Plagiochila spinulosa</i>	SH6190928842
<i>Plagiochila spinulosa</i>	SH6192528829
<i>Plagiochila spinulosa</i>	SH6192728800
<i>Plagiochila spinulosa</i>	SH6193228502
<i>Plagiochila spinulosa</i>	SH6193328491
<i>Plagiochila spinulosa</i>	SH6193328500
<i>Plagiochila spinulosa</i>	SH6193428747
<i>Plagiochila spinulosa</i>	SH6193828749
<i>Plagiochila spinulosa</i>	SH6193928765
<i>Plagiochila spinulosa</i>	SH6194228768
<i>Plagiochila spinulosa</i>	SH6194428663
<i>Plagiochila spinulosa</i>	SH6194528770
<i>Plagiochila spinulosa</i>	SH6194728493
<i>Plagiochila spinulosa</i>	SH6194728775
<i>Plagiochila spinulosa</i>	SH6194828813


Species	OS GR
<i>Plagiochila spinulosa</i>	SH6195328820
<i>Plagiochila spinulosa</i>	SH6195428848
<i>Plagiochila spinulosa</i>	SH6195528738
<i>Plagiochila spinulosa</i>	SH6195628752
<i>Plagiochila spinulosa</i>	SH6195928783
<i>Plagiochila spinulosa</i>	SH6196028837
<i>Plagiochila spinulosa</i>	SH6196828805
<i>Plagiochila spinulosa</i>	SH6197128794
<i>Plagiochila spinulosa</i>	SH6197228723
<i>Plagiochila spinulosa</i>	SH6197528752
<i>Plagiochila spinulosa</i>	SH6197928841
<i>Plagiochila spinulosa</i>	SH6197928843
<i>Plagiochila spinulosa</i>	SH6198028822
<i>Plagiochila spinulosa</i>	SH6198128743
<i>Plagiochila spinulosa</i>	SH6198128767
<i>Plagiochila spinulosa</i>	SH6199128835
<i>Plagiochila spinulosa</i>	SH6199228824
<i>Plagiochila spinulosa</i>	SH6199328781
<i>Plagiochila spinulosa</i>	SH6199528856
<i>Plagiochila spinulosa</i>	SH6199828799
<i>Plagiochila spinulosa</i>	SH6199928847
<i>Plagiochila spinulosa</i>	SH6200228725
<i>Plagiochila spinulosa</i>	SH6200328847
<i>Plagiochila spinulosa</i>	SH6200428846
<i>Plagiochila spinulosa</i>	SH6201128852
<i>Plagiochila spinulosa</i>	SH6205628780
<i>Plagiochila spinulosa</i>	SH6206128769
<i>Plagiochila spinulosa</i>	SH6206728824
<i>Plagiochila spinulosa</i>	SH6207028825
<i>Plagiochila spinulosa</i>	SH6212128916
<i>Plagiochila spinulosa</i>	SH6212228917
<i>Plagiochila spinulosa</i>	SH6212828875
<i>Plagiochila spinulosa</i>	SH6212928879
<i>Plagiochila spinulosa</i>	SH6214528902
<i>Plagiochila spinulosa</i>	SH6215028926
<i>Plagiochila spinulosa</i>	SH6216128923
<i>Plagiochila spinulosa</i>	SH6216128929
<i>Plagiochila spinulosa</i>	SH6216728923
<i>Plagiochila spinulosa</i>	SH6217228938
<i>Plagiochila spinulosa</i>	SH6217528911
<i>Plagiochila spinulosa</i>	SH6218728898
<i>Pseudomarsupidium decipiens</i>	SH6150528176
<i>Pseudomarsupidium decipiens</i>	SH6169628615
<i>Pseudomarsupidium decipiens</i>	SH6170228609
<i>Pseudomarsupidium decipiens</i>	SH6170328591
<i>Pseudomarsupidium decipiens</i>	SH6170328610
<i>Pseudomarsupidium decipiens</i>	SH6170528629
<i>Pseudomarsupidium decipiens</i>	SH6170528629
<i>Pseudomarsupidium decipiens</i>	SH6172128664
<i>Pseudomarsupidium decipiens</i>	SH6173628479

Species	OS GR
<i>Pseudomarsupidium decipiens</i>	SH6173928489
<i>Pseudomarsupidium decipiens</i>	SH6174228477
<i>Pseudomarsupidium decipiens</i>	SH6174428482
<i>Pseudomarsupidium decipiens</i>	SH6176328732
<i>Pseudomarsupidium decipiens</i>	SH6176528420
<i>Pseudomarsupidium decipiens</i>	SH6176528733
<i>Pseudomarsupidium decipiens</i>	SH6176728422
<i>Pseudomarsupidium decipiens</i>	SH6177828440
<i>Pseudomarsupidium decipiens</i>	SH6186128522
<i>Pseudomarsupidium decipiens</i>	SH6186528764
<i>Pseudomarsupidium decipiens</i>	SH6187428777
<i>Pseudomarsupidium decipiens</i>	SH6187528828
<i>Pseudomarsupidium decipiens</i>	SH6188328802
<i>Pseudomarsupidium decipiens</i>	SH6188528816
<i>Pseudomarsupidium decipiens</i>	SH6188528827
<i>Pseudomarsupidium decipiens</i>	SH6188528832
<i>Pseudomarsupidium decipiens</i>	SH6188628694
<i>Pseudomarsupidium decipiens</i>	SH6188628836
<i>Pseudomarsupidium decipiens</i>	SH6188728817
<i>Pseudomarsupidium decipiens</i>	SH6188728817
<i>Pseudomarsupidium decipiens</i>	SH6188728818
<i>Pseudomarsupidium decipiens</i>	SH6188828703
<i>Pseudomarsupidium decipiens</i>	SH6189528702
<i>Pseudomarsupidium decipiens</i>	SH6190028811
<i>Pseudomarsupidium decipiens</i>	SH6190128811
<i>Pseudomarsupidium decipiens</i>	SH6190428842
<i>Pseudomarsupidium decipiens</i>	SH6191128692
<i>Pseudomarsupidium decipiens</i>	SH6192828515
<i>Pseudomarsupidium decipiens</i>	SH6194228768
<i>Pseudomarsupidium decipiens</i>	SH6195228817
<i>Pseudomarsupidium decipiens</i>	SH6195828768
<i>Pseudomarsupidium decipiens</i>	SH6195828772
<i>Pseudomarsupidium decipiens</i>	SH6196028842
<i>Pseudomarsupidium decipiens</i>	SH6196228779
<i>Pseudomarsupidium decipiens</i>	SH6196428810
<i>Pseudomarsupidium decipiens</i>	SH6196728812
<i>Pseudomarsupidium decipiens</i>	SH6197028797
<i>Pseudomarsupidium decipiens</i>	SH6197228854
<i>Pseudomarsupidium decipiens</i>	SH6197328813
<i>Pseudomarsupidium decipiens</i>	SH6197628787
<i>Pseudomarsupidium decipiens</i>	SH6197928821
<i>Pseudomarsupidium decipiens</i>	SH6198328847
<i>Pseudomarsupidium decipiens</i>	SH6200228846
<i>Pseudomarsupidium decipiens</i>	SH6200328832
<i>Pseudomarsupidium decipiens</i>	SH6215328918
<i>Pseudomarsupidium decipiens</i>	SH6215428919
<i>Pseudomarsupidium decipiens</i>	SH6215528920
<i>Pseudomarsupidium decipiens</i>	SH6215728909
<i>Pseudomarsupidium decipiens</i>	SH6215728911
<i>Pseudomarsupidium decipiens</i>	SH6215728911


Species	OS GR
<i>Pseudomarsupidium decipiens</i>	SH6215728919
<i>Pseudomarsupidium decipiens</i>	SH6216028914
<i>Pseudomarsupidium decipiens</i>	SH6216028929
<i>Pseudomarsupidium decipiens</i>	SH6216528923
<i>Scapania umbrosa</i>	SH6197528752
<i>Sematophyllum demissum</i>	SH6169728598
<i>Sematophyllum demissum</i>	SH6171228267
<i>Sematophyllum demissum</i>	SH6177828395

9.2. Appendix 2: Grid-maps of Atlantic bryophyte species


9.2.1. *Cololejeunea microscopica*




9.2.2. *Drepanolejeunea hamatifolia*




9.2.3. *Harpalejeunea molleri*




9.2.4. *Jubula hutchinsiae*




9.2.5. *Lepidozia cupressina*




9.2.6. *Plagiochila bifaria*




9.2.7. *Plagiochila exigua*




9.2.8. *Plagiochila punctata*




9.2.9. *Plagiochila spinulosa*



9.2.10. *Pseudomarsupidium decipiens*



9.2.11. *Sematophyllum demissum*



9.3. Appendix 3: Fixed-point photographic monitoring plots

9.3.1. Plot 1 - SH6215728911



Species	Marker colour	Trend since 2014	Comments
<i>Lepidozia cupressina</i>	Red	Small decline	Vegetation structure remains similar. Trend may be related to natural patch dynamics.
<i>Plagiochila punctata</i>	Turquoise	unknown	Present but not marked-out in plot in 2014, so trend unknown
<i>Pseudomarsupidium decipiens</i>	Blue	Small increase	Vegetation structure remains similar. Trend may be related to natural patch dynamics.

9.3.2. Plot 2 - SH6188528832



Species	Marker colour	Trend since 2014	Comments
<i>Lepidozia cupressina</i>	Turquoise	unknown	Present but not marked-out in plot in 2014, so trend unknown
<i>Plagiochila bifaria</i>	Yellow	unknown	Present but not marked-out in plot in 2014, so trend unknown
<i>Plagiochila spinulosa</i>	Red	unknown	Present but not marked-out in plot in 2014, so trend unknown
<i>Pseudomarsupidium decipiens</i>	Blue	Small increase	Vegetation structure remains very similar. Trend may be related to natural patch dynamics.

9.3.3. Plot 3 - SH6169728598



Species	Marker colour	Trend since 2014	Comments
<i>Plagiochila bifaria</i>	Yellow	n/a	New plot established during present survey
<i>Plagiochila spinulosa</i>	Blue	n/a	
<i>Sematophyllum demissum</i>	Red	n/a	New colony discovered during present survey. Single colony, 12 x 9 cm.

9.3.4. Plot 4 - SH6216728923



Species	Marker colour	Trend since 2014	Comments
<i>Drepanolejeunea hamatifolia</i>	Red	n/a	New plot established during present survey
<i>Lepidozia cupressina</i>	Turquoise	n/a	
<i>Plagiochila punctata</i>	Pink	n/a	
<i>Plagiochila spinulosa</i>	Blue	n/a	
<i>Pseudomarsupidium decipiens</i>	Yellow	n/a	

9.3.5. Plot 5 - SH6172528598



Species	Marker colour	Trend since 2014	Comments
<i>Lepidozia cupressina</i>	Red	Stable	Some fine-scale gains and losses due to patch dynamics, but abundance approximately stable overall.

9.3.6. Plot 6 - SH6173628479



Species	Marker colour	Trend since 2014	Comments
<i>Lepidozia cupressina</i>	Red	Small decline	Decline mainly due to overgrowth by larger mosses, especially <i>Thuidium delicatulum</i>
<i>Plagiochila bifaria</i>	Purple	unknown	Not marked-out in 2014, so trend unknown
<i>Plagiochila punctata</i>	Pink	unknown	Not marked-out in 2014, so trend unknown
<i>Plagiochila spinulosa</i>	Turquoise	unknown	Not marked-out in 2014, so trend unknown
<i>Pseudomarsupidium decipiens</i>	Blue	Small decline	Decline mainly due to overgrowth by larger mosses, especially <i>Thuidium delicatulum</i>

9.3.7. Plot 7 - SH6463426658



Species	Marker colour	Trend since 2014	Comments
<i>Jubula hutchinsiae</i>	Red	Large increase	Reason for increase uncertain. Vegetation structure and stream conditions appear very similar.
<i>Plagiochila spinulosa</i>	Blue	n/a	Not marked-out in 2014, so trend unknown

9.3.8. Plot 8 - SH6464126664



Species	Marker colour	Trend since 2014	Comments
<i>Plagiochila bifaria</i>	Turquoise	unknown	Not marked-out in 2014, so trend unknown
<i>Plagiochila punctata</i>	Red	unknown	Not marked-out in 2014, so trend unknown
<i>Plagiochila spinulosa</i>	Blue	unknown	Not marked-out in 2014, so trend unknown
<i>Sematophyllum demissum</i>	Black	Extinct	Original colony of 30 x 10 cm in 2014 declined to 1 x 2 cm by 2022 and is now extinct due to competitive exclusion by larger bryophytes, especially <i>Thuidium tamariscinum</i>

9.3.9. Plot 9 – SH6171428660



Species	Marker colour	Trend since 2014	Comments
<i>Cololejeunea microscopica</i>	Blue	n/a	New plot established during present survey
<i>Harpalejeunea molleri</i>	Red	n/a	
<i>Plagiochila bifaria</i>	Turquoise	n/a	

9.3.10. Plot 10 – SH6177828395



Species	Marker colour	Trend since 2014	Comments
<i>Plagiochila bifaria</i>	Turquoise	n/a	New plot established during present survey
<i>Plagiochila spinulosa</i>	Blue	n/a	
<i>Sematophyllum demissum</i>	Red	n/a	New colony discovered during present survey. Single colony, 20 x 15 cm.

9.3.11. Plot 11 – SH6171228267



Species	Marker colour	Trend since 2014	Comments
<i>Plagiochila spinulosa</i>	Blue	n/a	New plot established during present survey
<i>Sematophyllum demissum</i>	Red	n/a	Single, large, partially fragmented colony of 50 x 40 cm

10. Data Archive Appendix

Data outputs associated with this project are archived on server-based storage at Natural Resources Wales.

The data archive contains:

[A] The final report in Microsoft Word and Adobe PDF formats.

The metadata for this project is held as record no NRW_DS161365.

© Natural Resources Wales

All rights reserved. This document may be reproduced with prior permission of Natural Resources Wales.

Further copies of this report are available from library@cyfoethnaturiolcymru.gov.uk